

## Bibliographie

- ACMMP – Advisory Committee on Medical Manpower Planning (2010), « Capacity Plan », vol. 2, *General Medicine*, Utrecht.
- Adriaenssens, N. et al. (2011), « European Surveillance of Antimicrobial Consumption (ESAC): Disease Specific Quality Indicators for Outpatient Antibiotic Prescribing », *Quality and Safety in Health Care*, vol. 20, pp. 764-772.
- ADA – American Diabetes Association (2013), *Economic Costs of Diabetes in the U.S. in 2012*.
- AHRQ – Agency for Health Research and Quality (2006), *Patient Safety Indicators Overview: AHRQ Quality Indicators – February 2006*, AHRQ, Rockville, États-Unis.
- AHRQ (2011a), *2010 National Healthcare Quality Report*, AHRQ, Rockville, États-Unis.
- AHRQ (2011b), *2010 National Healthcare Disparities Report*, AHRQ, Rockville, États-Unis.
- AIHW – Australian Institute of Health and Welfare (2011), *The Health and Welfare of Australia's Aboriginal and Torres Strait Islander People: An Overview 2011*, Cat. n° IHW 42, AIHW, Canberra.
- AIHW (2012a), *Australia's Health 2012*, Australia's Health Series n° 13, Cat. n° AUS 156, AIHW, Canberra.
- AIHW (2012b), *Mental Health Services in Brief 2012*, AIHW, Canberra.
- AIHW (2012c), *Dementia in Australia*, Cat. n° AGE 70, AIHW, Canberra.
- AIHW (2013), *Stroke and its Management in Australia: An Update*, Cardiovascular Disease Series n° 37, Cat. n° CVD 61, AIHW, Canberra.
- Aiken, L. et R. Cheung (2008), « Nurse Workforce Challenges in the United States: Implications for Policy », *OECD Health Working Paper* n° 35, Éditions OCCE, <http://dx.doi.org/10.1787/236153608331>.
- Akkerman, A.E. et al. (2005), « Prescribing Antibiotics for Respiratory Tract Infections by GP's: Management and Prescriber Characteristics », *British Journal of General Practice*, vol. 55, pp. 114-118.
- Allepuz, A. et al. (2009), « Hip and Knee Replacement in the Spanish National Health System », *Revista Española de Cirugía Ortopédica y Traumatología*, vol. 53, n° 5, pp. 290-299.
- Alzheimer's Australia (2009), « Keeping Dementia Front of Mind: Incidence and Prevalence 2009-50 », *Access Economics Reports*, disponible sur [www.alzheimers.org.au/research-publications/access-economics-reports.aspx](http://www.alzheimers.org.au/research-publications/access-economics-reports.aspx).
- Alzheimer Europe (2009), « Prevalence of Dementia in Europe », disponible sur [www.alzheimer-europe.org/EN/Research/European-Collaboration-on-Dementia/Prevalence-of-dementia2/Prevalence-of-dementia-in-Europe](http://www.alzheimer-europe.org/EN/Research/European-Collaboration-on-Dementia/Prevalence-of-dementia2/Prevalence-of-dementia-in-Europe).
- Alzheimer Europe (2012), *Dementia in Europe Yearbook 2012*, Luxembourg.
- Anand, P. et al. (2008), « Cancer is a Preventable Disease that Requires Major Lifestyle Changes », *Pharmaceutical Research*, vol. 25, n° 9, pp. 2097-2116.
- Arah, O. et al. (2006), « A Conceptual Framework for the OECD Health Care Quality Indicators Project », *International Journal for Quality in Health Care*, vol. 18, Supplement n° 1, pp. 5-13.
- Babor, T., R. Caetano, S. Casswell et al. (2010), *Alcohol: No Ordinary Commodity – Research and Public Policy*, Oxford University Press, Oxford.
- Baghestan, E. et al. (2007), « A Validation of the Diagnosis of Obstetric Sphincter Tears in Two Norwegian Databases, the Medical Birth Registry and the Patient Administration System », *Acta Obstetricia et Gynecologica*, vol. 86, pp. 205-209.
- Baker, L., S.W. Atlas et C.C. Afendulis (2008), « Expanded Use of Imaging Technology and the Challenge of Measuring Value », *Health Affairs*, vol. 27, n° 6, pp. 1467-1478.
- Banthin, J.S., P. Cunningham et D.M. Bernard (2008), « Financial Burden of Health Care, 2001-04 », *Health Affairs*, vol. 27, pp. 188-195.

- Bateman, B.T. et al. (2010), « Temporal Trends in the Epidemiology of Severe Postoperative Sepsis After Elective Surgery », *Anaesthesia*, vol. 112, n° 4, pp. 917-925.
- Bellanger, M. et Z. Or (2008), « What Can We Learn From a Cross-Country Comparison of the Costs of Child Delivery? », *Health Economics*, vol. 17, pp. S47-S57.
- Bewley, S. et J. Cockburn (2002), « The Unethics of 'Request' Caesarean Section », *British Journal of Obstetrics and Gynaecology*, vol. 109, pp. 593-596.
- Björkenstam, E. et al. (2012), « Quality of Medical Care and Excess Mortality in Psychiatric Patients – A Nationwide Register-based Study in Sweden », *BMJ Open* 2012, vol. 2, e000778, <http://dx.doi.org/10.1136/bmjopen-2011-000778>.
- Bond, J. et al. (2006), « Self-rated Health Status as a Predictor of Death, Functional and Cognitive Impairments: A Longitudinal Cohort Study », *European Journal of Ageing*, vol. 3, pp. 193-206.
- Borghans, I. et al. (2012), « Fifty Ways to Reduce Length of Stay: An Inventory of How Hospital Staff Would Reduce the Length of Stay in their Hospital », *Health Policy*, vol. 104, pp. 222-233.
- Borraccino, A. et al. (2009), « Socioeconomic Effects on Meeting Physical Activity Guidelines: Comparisons Among 32 Countries », *Medicine and Science in Sports and Exercise*, vol. 41, pp. 749-756.
- Bouchery, E.E. et al. (2011), « Economic Costs of Excessive Alcohol Consumption in the U.S., 2006 », *American Journal of Preventive Medicine*, vol. 41, n° 5, pp. 516-524.
- Bourgueil, Y., A. Marek et J. Mousquès (2006), « Vers une Coopération entre Médecins et Infirmières – L'apport d'expériences européennes et canadiennes », *Série études*, n° 57, DREES, Paris, mars.
- Brekke, M. et B. Gjelsvik (2009), « Secondary Cardiovascular Risk Prevention – We Can Do Better », *The Lancet*, vol. 373, n° 9667, pp. 873-875.
- Brotherton, J.M., M. Friedman et C.L. May et al. (2011), « Early Effect of the HPV Vaccination Programme on Cervical Abnormalities in Victoria, Australia: An Ecological Study », *The Lancet*, vol. 377, n° 9783, pp. 2085-92.
- Bronzwaer S., O. Cars, U. Buchholz et al. (2002), « A European Study on the Relationship Between Antimicrobial use and Antimicrobial Resistance », *Emerging Infectious Diseases*, vol. 8, pp. 278-282.
- Buchan, J. et S. Black (2011), « The Impact of Pay Increases on Nurses' Labour Market: A Review of Evidence from four OECD Countries », *OECD Health Working Papers*, n° 57, Éditions OCDE, <http://dx.doi.org/10.1787/5kg6jwn16tjd-en>.
- Butler, C.C., F. Dunstan, M. Heginbothom et al. (2007), « Containing Antibiotic Resistance: Decreased Antibiotic-resistant Coliform Urinary Tract Infections with Reduction in Antibiotic Prescribing by General Practices », *British Journal of General Practice*, vol. 57, pp. 785-792.
- CIHI – Canadian Institute for Health Information (2012), *Drug Expenditure in Canada, 1985 to 2011*, CIHI, Ottawa.
- Castoro, C. et al. (2007), *Policy Brief-Day Surgery: Making it Happen*, World Health Organization on behalf of the European Observatory on Health Systems and Policies, Copenhague.
- CDC – Centers for Disease Control and Prevention (2012), *Alcohol and Public Health: Alcohol-related Disease Impact (ARDI)*, Atlanta, disponible sur [http://apps.nccd.cdc.gov/DACH\\_ADI/default/default.aspx](http://apps.nccd.cdc.gov/DACH_ADI/default/default.aspx) (consulté le 1<sup>er</sup> juin 2012).
- Ceccherini-Nelli, A. et S. Priebe (2011), « Economic Factors and Suicide Rates: Associations over Time in Four Countries », *Social Psychiatry and Psychiatric Epidemiology*, vol. 46, n° 10, pp. 975-982.
- CfWI – Centre for Workforce Intelligence (2012), *A Strategic Review of the Future Healthcare Workforce: Informing Medical and Dental Student Intakes*, Londres.
- Chia, S.K. et al. (2007), « The Impact of New Chemotherapeutic and Hormone Agents on Survival in a Population-based Cohort of Women with Metastatic Breast Cancer », *Cancer*, vol. 110, n° 5, pp. 973-979.
- Classen, T.J. et R.A. Dunn (2012), « The Effect of Job Loss and Unemployment Duration on Suicide Risk in the United States: A New Look Using Mass-Layoffs and Unemployment Duration », *Health Economics*, vol. 21, n° 3, pp. 338-350.
- Cochrane Collaboration (2013), *The Cochrane Acute Respiratory Infections Group*, disponible sur [www.ari.cochrane.org](http://www.ari.cochrane.org) (consulté le 10 juillet 2013).
- Coenen, S. et al. (2007), « European Surveillance of Antimicrobial Consumption (EASC): Quality Indicators for Outpatient Antibiotic Use in Europe », *Quality & Safety in Health Care*, vol. 16, pp. 440-445.

- Cole, T.J. et al. (2000), « Establishing a Standard Definition for Child Overweight and Obesity Worldwide: International Survey », *British Medical Journal*, vol. 320, pp. 1-6.
- Colombo, F. et al. (2011), *Besoin d'aide ? La prestation de services et le financement de la dépendance*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264097766-fr>.
- Commission européenne (2006), *Lignes directrices européennes sur l'assurance qualité du dépistage et du diagnostic du cancer du sein*, 4<sup>e</sup> édition, Luxembourg.
- Commission européenne (2008a), *Hospital Data Project Phase 2, Final Report*, Luxembourg.
- Commission européenne (2008b), *Major and Chronic Diseases – Report 2007*, EC Directorate-General for Health and Consumers, Luxembourg.
- Commission européenne (2013), « Long-term Care in Ageing Societies – Challenges and Policy Options », *Commission Staff Working Document*, SWD 41, Bruxelles.
- Commonwealth Fund (2004), *2004 Commonwealth Fund International Health Policy Survey of Adults' Experiences with Primary Care, Chartpack*, Commonwealth Fund, New York.
- Commonwealth Fund (2007), *2007 International Health Policy Survey in Seven Countries, Chartpack*, Commonwealth Fund, New York.
- Commonwealth Fund (2010), *2010 International Health Policy Survey in Eleven Countries, Chartpack*, Commonwealth Fund, New York.
- Corazziari I., M. Quinn et R. Capoccia (2004), « Standard Patient Population for Age Standardising Survival Ratios », *European Journal of Cancer*, vol. 40, n° 15, pp. 2307-2316.
- Corsini, V. (2010), « Highly Educated Men and Women Likely to Live Longer: Life Expectancy by Educational Attainment », *Eurostat Statistics in Focus 24/2010*, Commission européenne, Luxembourg.
- Currie, C. et al. (dir. pub.) (2004), *Young People's Health in Context: International Report from the HBSC 2001/2002 Survey*, WHO Regional Office for Europe, Copenhague.
- Currie, C. et al. (dir. pub.) (2008), *Inequalities in Young People's Health: Health Behaviour in School-aged Children (HBSC) International Report from the 2005/2006 Survey*, WHO Regional Office for Europe, Copenhague.
- Currie, C. et al. (dir. pub.) (2012), *Social Determinants of Health and Well-being Among Young People. Health Behaviour in School-aged Children (HBSC) Study: International Report from the 2009/2010 Survey*, WHO Regional Office for Europe, Copenhague.
- Cutler, D. et E.L. Glaeser (2006), « Why do Europeans Smoke More Than Americans? », *Working Paper* n° 12124, National Bureau of Economic Research, Cambridge.
- Crump, C., et al. (2013), « Sociodemographic, Psychiatric and Somatic Risk Factors for Suicide: A Swedish National Cohort Study », *Psychological Medicine*, pp. 1-11.
- Dartmouth Institute (2010), *Trends and Regional Variation in Hip, Knee and Shoulder Replacement*, Dartmouth Atlas Surgery Report, 6 avril.
- de Jong, J.D. et al. (2006), « Variation in Hospital Length of Stay: Do Physicians Adapt their Length of Stay Decisions to What Is Usual in the Hospital Where They Work? », *Health Services Research*, vol. 41, n° 2.
- de Hert, M. et al. (2011), « Physical Illness in Patients with Severe Mental Disorders. I. Prevalence, Impact of Medications and Disparities in Health Care », *World Psychiatry*, vol. 10, n° 1, pp. 52-77, février.
- Department of Health (2011), « The Operating Framework for the NHS in England 2012/13 », Angleterre.
- Delamaire, M.-L. et G. Lafourture (2010), « Nurses in Advanced Roles: A Description and Evaluation of Experiences in 12 Developed Countries », *OECD Health Working Paper*, n° 54, Éditions OCDE, <http://dx.doi.org/10.1787/5kmbrcfms5g7-en>.
- De La Maisonneuve, C. et J.O. Martins (2013), « Public Spending on Health and Long-term Care: A New Set of Projections », *OECD Economic Policy Papers*, n° 6, Éditions OCDE, <http://dx.doi.org/10.1787/5k44t7juwr9x-en>.
- DeSalvo, K.B., V.S. Fan, M.B. McDonell et S.D. Fihn (2005), « Predicting Mortality and Healthcare Utilization with a Single Question », *Health Services Research*, vol. 40, pp. 1234-1246.
- Devaux, M. et M. de Looper (2012), « Income-related Inequalities in Health Service Utilisation in 19 OECD countries », *OECD Health Working Papers* n° 58, Éditions OCDE, <http://dx.doi.org/10.1787/5k95xd6stnxt-en>.

- Devaux, M. et F. Sassi (à paraître), « Alcohol Consumption and Harmful Drinking: Trends and Social Disparities across OECD Countries », *OECD Health Working Paper*, Éditions OCDE.
- Devaux, M., F. Sassi, J. Church et al. (2011), « Exploring the Relationship between Education and Obesity », *OECD Journal: Economic Studies*, Issue n° 1, Éditions OCDE, [http://dx.doi.org/10.1787/eco\\_studies-2011-5kg5825v1k23](http://dx.doi.org/10.1787/eco_studies-2011-5kg5825v1k23).
- Di Mario, S. et al. (2005), *What is the Effectiveness of Antenatal Care? (Supplement)*, WHO Regional Office for Europe (Health Evidence Network Report), Copenhague.
- Diabetes Care* (2013), vol. 36, pp. 1033-1046, avril.
- Dickman, P.W. et H.O. Adami (2006), « Interpreting Trends in Cancer Patient Survival », *Journal of Internal Medicine*, n° 260, pp. 103-117.
- Dormont, B. et H. Huber (2006), « Causes of Health Expenditure Growth: The Predominance of Changes in Medical Practices Over Population Ageing », *Annales d'Économie et de Statistique*, n° 83/84, pp. 187-217.
- DREES – Direction de la recherche, des études, de l'évaluation et des statistiques (2013), « Les médecins en France au 1<sup>er</sup> janvier 2013 », *Document de travail, Série statistiques*, n° 179, DREES, Paris, avril.
- Drösler, S.E., P.S. Romano et al. (2011), « International Comparability of Patient Safety Indicators in 15 OECD Member Countries: A Methodological Approach of Adjustment by Secondary Diagnoses », *Health Services Research*, disponible sur <http://dx.doi.org/10.1111/j.1475-6773.2011.01290.x>.
- Eagle, K.A. et al. (2005), « Guideline-Based Standardized Care is Associated with Substantially Lower Mortality in Medicare Patients with Acute Myocardial Infarction: The American College of Cardiology's Guidelines Applied in Practice (GAP) », *Journal of the American College of Cardiology*, vol. 46, pp. 1242-1248.
- Echevarría-Zuno, S., J.M. Mejía-Aranguré, A.J. Mar-Obeso et al. (2010), « Infection and Death from Influenza A H1N1 Virus in Mexico: A Retrospective Analysis », *The Lancet*, vol. 374, n° 9707, pp. 2072-79.
- Elmadfa, I. (dir. pub.) (2009), *European Nutrition and Health Report 2009*, Karger, Bâle.
- Elliman, D. et H. Bedford (2013), « Should the UK Introduce Compulsory Vaccination? », *The Lancet*, vol. 381, n° 9876, pp. 1434-1436.
- Epstein, A. et al. (2011), « Coronary Revascularization Trends in the United States, 2001-08 », *Journal of the American Medical Association*, vol. 305, n° 17, pp. 1769-1775, 4 mai.
- Ersek, K. et al. (2009), « Parallel Sessions-Dementia Policies: Epidemiology and Disease Burden of Dementia in Hungary », *Alzheimer Europe*, disponible sur [www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies](http://www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies).
- Euro-Peristat (2013), *European Perinatal Health Report: The Health and Care of Pregnant Women and their Babies in 2010*, Luxembourg.
- Federal Joint Committee (2012), *Planning Guideline of the Federal Joint Committee*, Federal Ministry of Justice.
- Fedorowicz, Z., D. Lawrence et P. Gutierrez (2004), « Day Care versus In-Patient Surgery for Age-related Cataract », *Cochrane Database of Systematic Reviews*, vol. 25, n° CD004242.
- FHF – Fédération hospitalière de France (2008), *Étude sur les césariennes*, FHF, Paris.
- FID – Fédération internationale du diabète (2011), *Atlas du diabète*, 5e édition, Bruxelles.
- Forde, I. (à paraître), « Hospital Length of Stay: Trends and Drivers », *OECD Health Working Paper*, Éditions OCDE.
- Foresight (2007), « Tackling Obesities: Future Choices », Government Office for Science, disponible sur [www.foresight.gov.uk/Obesity/17.pdf](http://www.foresight.gov.uk/Obesity/17.pdf).
- Franco, E.L., T.E. Rohan et L.L. Villa (1999), « Epidemiologic Evidence and Human Papillomavirus Infection as a Necessary Cause of Cervical Cancer », *Journal of the National Cancer Institute*, vol. 91, n° 6, pp. 506-511.
- Friðfinnsdóttir, E. et J. Jónsson (2010), *The Impact of the Economic Recession on Nurses and Nursing in Iceland*, International Centre for Human Resources in Nursing (ICHRN), Genève.
- Fujisawa, R. et G. Lafortune (2008), « The Remuneration of General Practitioners and Specialists in 14 OECD Countries: What are the Factors Explaining Variations across Countries? », *OECD Health Working Paper*, n° 41, Éditions OCDE, <http://dx.doi.org/10.1787/228632341330>.

- Gakidou, E., S. Nordhagen et Z. Obermeyer (2008), « Coverage of Cervical Cancer Screening in 57 Countries: Low Average Levels and Large Inequalities », *PLoS Medicine*, vol. 5, n° 6, pp. 0863-0868.
- Gardete-Correia L., J.M. Boavida, J.F. Raposo et al. (2011), « First Diabetes Prevalence Study in Portugal: PREVADIAB Study », *Diabetic Medicine*, vol. 27, pp. 879-881.
- Gawande, A.A., D.M. Studdert, E.J. Orav et al. (2003), « Risk Factors for Retained Instruments and Sponges after Surgery », *New England Journal of Medicine*, vol. 348, n° 3, pp. 229-235.
- Germany Federal Statistical Office (2013), « Cost-of-Illness Accounts », disponible sur [www.kostenanzerkten.nl](http://www.kostenanzerkten.nl).
- Gili, M. et al. (2012), « The Mental Health Risks of Economic Crisis in Spain: Evidence from Primary Care Centres, 2006 and 2010 », *European Journal of Public Health*, vol. 1-5, 19 avril.
- Goldhaber-Fiebert, J.D. et al. (2008), « Cost-effectiveness of Cervical Cancer Screening with Human Papillomavirus DNA Testing and HPV-16, 18 Vaccination », *Journal of the National Cancer Institute*, vol. 100, n° 5, pp. 308-320.
- Goossens, H., M. Ferech, R. Vander Stichele et al. (2005), « Outpatient Antibiotic Use in Europe and Association with Resistance: A Cross-national Database Study », *The Lancet*, vol. 365, pp. 579-587.
- Government of Western Australia (2013), « Diagnostic Imaging Pathways: A Clinical Decision Support Tool and Educational Resource for Diagnostic Imaging », disponible sur [www.imagingpathways.health.wa.gov.au](http://www.imagingpathways.health.wa.gov.au).
- Grignon, M., J. Hurley, L. Wang et S. Allin, (2010), « Inequality in a Market-Based Health System: Evidence from Canada's Dental Sector », *Health Policy*, vol. 98, pp. 81-90.
- Grigoryan, L. et al. (2006), « Self-medication with Antimicrobial Drugs in Europe », *Emerging Infectious Diseases*, vol. 12, n° 3, pp. 452-459.
- Guariguata, L., Whiting, D., Weil, C. et Unwin, N. (2011), « The International Diabetes Federation Diabetes Atlas Methodology for Estimating Global and National Prevalence of Diabetes in Adults », *Diabetes Research and Clinical Practice*, vol. 94, n° 3, pp. 322-332.
- Guize, L. et al. (2008), « Diabetes and Socio-economic Deprivation. A Study in a Large French Population », *Bulletin de l'Académie nationale de médecine*, vol. 192, n° 9, p. 1707.
- Hacke, W. et al. (1995), « Intravenous Thrombolysis with Recombinant Tissue Plasminogen Activator for Acute Hemispheric Stroke. The European Co-operative Acute Stroke Study (ECASS) », *Journal of the American Medical Association*, vol. 274, n° 13, pp. 1017-1025.
- Hallal, P.C. et al. (2006), « Adolescent Physical Activity and Health: A Systematic Review », *Sports Medicine*, vol. 36, n° 12, pp. 1019-1030.
- Hallal, P.C. et al. (2012), « Global Physical Activity Levels: Surveillance Progress, Pitfalls, and Prospects », *The Lancet*, vol. 380, n° 9838, pp. 247-257.
- Hals, E. et al. (2010), « A Multicenter Interventional Program to Reduce the Incidence of Anal Sphincter Tears », *Obstetrics and Gynecology*, vol. 116, n° 4, pp. 901-908.
- Happell, B., C. Palmer et R. Tennent (2010), « Mental Health Nurse Incentive Program: Contributing to Positive Client Outcomes », *International Journal of Mental Health Nursing*, vol. 19, pp. 331-339.
- Hatem, M., J. Sandall, D. Devane et al. (2008), « Midwife-led Versus Other Models of Care for Childbearing Women », *Cochrane Database Systematic Review*, vol. 4:CD004667, 8 octobre.
- Hawton, K., K.E. Saunders and R.C. O'Connor (2012), « Self-Harm and Suicide in Adolescents », *The Lancet*, vol. 379, n° 9834, pp. 2373-2382.
- Heijink, R., M.A. Koopmanschap et J.J. Polder (2006), *International Comparison of Cost of Illness*, RIVM, Bilthoven.
- Health Workforce Australia (2012), *Health Workforce 2025 – Doctors, Nurses and Midwives*, vol. 1 & 2, Adelaide, disponible sur [www.hwa.gov.au/sites/uploads/FinalReport\\_Volume1\\_FINAL-20120424.pdf](http://www.hwa.gov.au/sites/uploads/FinalReport_Volume1_FINAL-20120424.pdf).
- Heit, J.A. (2012), « Estimating the Incidence of Symptomatic Postoperative Venous Thromboembolisms », *Journal of American Medical Association*, vol. 307, n° 3, pp. 306-307.
- Hollingworth, S. et al. (2010), « Affective and Anxiety Disorders: Prevalence, Treatment and Antidepressant Medication Use », *Australian and New Zealand Journal of Psychiatry*, vol. 44, pp. 513-519.
- Hoot, N.R. et D. Aronsky (2008), « Systematic Review of Emergency Department Crowding: Causes, Effects, and Solutions », *Annals of Emergency Medicine*, vol. 52, n° 2, pp. 126-136.

- Huttner, B. et al. (2010), « Characteristics and Outcomes of Public Campaigns Aimed at Improving the Use of Antibiotics in Outpatients in High-income Countries », *The Lancet Infectious Diseases*, vol. 10, pp. 17-31.
- IARC Working Group on the Evaluation of Carcinogenic Risks to Humans (1995), *Human Papillomaviruses*, Monographs on the Evaluation of Carcinogenic Risks to Humans, vol. 64, International Agency for Research on Cancer, Lyon.
- Indredavik, B. (2009), « Stroke Unit Care Is Beneficial Both for the Patient and for the Health Service and Should Be Widely Implemented », *Stroke*, vol. 40, n° 1, pp. 1-2.
- Institute of Alcohol Studies (2007), « Binge Drinking-Nature, Prevalence and Causes », IAS Fact Sheet, disponible sur [www.ias.org.uk/resources/factsheets/binge\\_drinking.pdf](http://www.ias.org.uk/resources/factsheets/binge_drinking.pdf).
- International Association for the Study of Obesity (2011), « Overweight Children around the World », disponible sur [www.iaso.org](http://www.iaso.org).
- Iversen, H.H., Ø.A. Bjertæs, G. Groven et G. Bukholm (2010), « Usefulness of a National Patient Experience Survey in Quality Improvement: Views of Paediatric Department Employees », *Quality and Safety in Health Care*, vol. 19, n° 5, BMJ Publishing Group Limited, Londres.
- Januel, J.M. et al. (2012), « Symptomatic In-hospital Deep Vein Thrombosis and Pulmonary Embolism Following Hip and Knee Arthroplasty Among Patients Receiving Recommended Prophylaxis », *Journal of American Medical Association*, vol. 307, n° 3, pp. 294-303.
- Jefferson, T.C., J. Di Pietrantonio, L.A. Al-Ansary et al. (2010), « Vaccines for Preventing Influenza in the Elderly », *Cochrane Database of Systematic Reviews*, vol. 2, CD004876.
- Jemal, A., F. Bray, M.M. Center et al. (2011), « Global Cancer Statistics », *A Cancer Journal for Clinicians*, vol. 61, n° 2, pp. 69-90.
- Jeon, Hong Jin (2011), « Depression and Suicide », *Journal of the Korean Medical Association*, vol. 54, n° 4, pp. 370-375.
- Jha, P. et al. (2006), « Social Inequalities in Male Mortality, and in Male Mortality from Smoking: Indirect Estimation from National Death Rates in England and Wales, Poland, and North America », *The Lancet*, vol. 368, n° 9533, pp. 367-370.
- Jhun, Hyung-Joon, Ho Kim et Sung-Il Cho (2011), « Time Trend and Age-Period-Cohort Effects on Acute Myocardial Infarction Mortality in Korean Adults from 1988 to 2007 », *Journal of Korean Medical Science*, vol. 26, n° 5, pp. 637-641.
- Jonsson, P.M. et al. (2013), « Finland », Part II, Chapter 7 in *Waiting Time Policies in the Health Sector: What Works*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264179080-en>.
- Joseph, K.S. et al. (2012), « Influence of Definition Based Versus Pragmatic Registration on International Comparisons of Perinatal and Infant Mortality: Population Based Retrospective study », *British Medical Journal*, vol. 344, e746.
- Juva, M. (2009), « Parallel Sessions-Dementia Policies: From National Dementia Plan to Local Reality », Alzheimer Europe, disponible sur [www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies](http://www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies).
- Kapral, M.K., R. Hall, M. Stamplecoski et al. (2011), « Registry of the Canadian Stroke Network – Report on the 2008/09 Ontario Stroke Audit », Institute for Clinical Evaluative Sciences, Toronto.
- Kelley, E. et J. Hurst (2006), « Health Care Quality Indicators Project: Conceptual Framework », OECD Health Working Paper, n° 23, Éditions OCDE, <http://dx.doi.org/10.1787/440134737301>.
- Kelly, H. et al. (2011), « The Age-Specific Cumulative Incidence of Infection with Pandemic Influenza H1N1 2009 Was Similar in Various Countries Prior to Vaccination », *PLoS One*, vol. 6, n° 8, e21828, <http://dx.doi.org/10.1371/journal.pone.0021828>.
- Kenigsberg, P.A. (2009), « Parallel Sessions-Dementia Policies: The Changing Economic Environment of Alzheimer's Disease in France », Alzheimer Europe, disponible sur [www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies](http://www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies).
- Khush, K.K., E. Rapaport et D. Waters (2005), « The History of the Coronary Care Unit », *Canadian Journal of Cardiology*, vol. 21, pp. 1041-1045.
- Kiely, J., K. Brett, S. Yu et D. Rowley (1995), « Low Birth Weight and Intrauterine Growth Retardation », in L. Wilcox et J. Marks (dir. pub.), *From Data to Action: CDC's Public Health Surveillance for Women, Infants, and Children*, Center for Disease Control and Prevention, Atlanta, pp. 185-202.
- Koechlin, F., L. Lorenzoni et P. Schreyer (2010), « Comparing Price Levels of Hospital Services across Countries: Results of a Pilot Study », OECD Health Working Paper, n° 53, Éditions OCDE, <http://dx.doi.org/10.1787/5km4k7mrnnjb-en>.

- Kohlhammer, Y. et al. (2007), « Determinants of Influenza and Pneumococcal Vaccination in Elderly People: A Systematic Review », *Public Health*, vol. 121, pp. 742-751.
- Kohn, L.T., J.M. Corrigan et M.S. Donaldson (dir. pub.) (2000), *To Err is Human: Building a Safer Health System*, Institute of Medicine, National Academy Press, Washington, DC.
- Koller, D. et al. (2013), « Variation in Antibiotic Prescriptions: Is Area Deprivation an Explanation? Analysis of 1.2 Million Children in Germany », *Infection*, vol. 41, n° 1, pp. 121-127.
- Kotseva, K. et al. (2009), « UROASPIRE III: A Survey on the Lifestyle, Risk Factors and Use of Cardioprotective Drug Therapies in Coronary Patients from 22 European Countries », *European Journal of Cardiovascular Prevention and Rehabilitation*, vol. 16, pp. 121-137.
- Kovess-Masfety, V. et al. (2007), « Differences in Lifetime Use of Services for Mental Health Problems in Six European Countries », *Psychiatric Services*, vol. 58, n° 2, pp. 213-220.
- Kringos, D. et al. (2010), « The Breadth of Primary Care: A Systematic Literature Review of its Core Dimensions », *BMC Health Services Research*, vol. 10, n° 65, <http://dx.doi.org/10.1186/1472-6963-10-65>.
- Kroneman, M. et al. (2003), « Influenza Vaccination Uptake in Europe: An Inventory of Strategies to Reach Target Populations and Optimise Vaccination Uptake », *Eurosurveillance*, vol. 8, n° 6.
- Kumar, A. et M. Schoenstein (2013), « Managing Hospital Volumes: Germany and Experiences from OECD Countries », *OECD Health Working Papers*, n° 64, Éditions OCDE, Paris, <http://dx.doi.org/10.1787/5k3xwtg2szzr-en>.
- Kunze, U. et al. (2007), « Influenza Vaccination in Austria, 1982-2003 », *Wien Med Wochenschr*, vol. 157, n° 5-6, pp. 98-101.
- Lang, P.O., A. Mendes, J. Socquet, N. Assir, S. Govind et R. Aspinall (2012), « Effectiveness of Influenza Vaccine in Aging and Older Adults: Comprehensive Analysis of the Evidence », *Clinical Interventions in Aging*, vol. 7, n° 55.
- Lansdorp-Vogelaar, I., A.B. Knudsen et H. Brenner (2010), « Cost-Effectiveness of Colorectal Cancer Screening – An Overview », *Best Practice & Research Clinical Gastroenterology*, vol. 24, pp. 439-449.
- Lee, Hye Ah et Hyesook Park (2012), « Trends in Ischemic Heart Disease Mortality in Korea, 1985-2009: An Age-period-cohort Analysis », *Journal of Preventive Medicine and Public Health*, vol. 45, n° 5, pp. 323-328.
- Listl, S. (2011), « Income-Related Inequalities in Dental Service Utilization by Europeans Aged 50+ », *Journal of Dental Research*, vol. 90, n° 6, pp. 717-723.
- Lobstein T. (2010), « L'ampleur et les risques de l'épidémie internationale d'obésité chez les enfants » in F. Sassi (dir. pub.), *L'obésité et l'économie de la prévention : Objectif santé*, Éditions OCDE, pp. 107-114, <http://dx.doi.org/10.1787/9789264084889-fr>.
- Lozano, R., M. Naghavi et K. Foreman (2012), « Global and Regional Mortality from 235 Causes of Death for 20 Age Groups in 1990 and 2010: A Systematic Analysis for the Global Burden of Disease Study 2010 », *The Lancet*, vol. 380, n° 9859, pp. 2095-2128.
- Lundström, M. et al. (2012), « Evidence-based Guidelines for Cataract Surgery: Guidelines Based on Data in the European Registry of Quality Outcomes for Cataract and Refractive Surgery Database », *Journal of Cataract and Refractive Surgery*.
- Mackenbach, J.P. et al. (2008), « Socio-economic Inequalities in Health in 22 European Countries », *New England Journal of Medicine*, vol. 358, pp. 2468-2481.
- Mackie, C.O. et al. (2009), « Hepatitis B Immunisation Strategies: Timing is Everything », *Canadian Medical Association Journal*, vol. 18, n° 2, pp. 196-202.
- Maiorova, T., F. Stevens, L. van der Velden et al. (2007), « Gender Shift in Realisation of Preferred Type of GP Practice: Longitudinal Survey over the Last 25 Years », *BMC Health Services Research*, vol. 7, n° 111.
- Mariotto, A.B., K.R. Yabroff, Y. Shao et al. (2011), « Projections of the Cost of Cancer Care in the United States: 2010-20 », *Journal of the National Cancer Institute*, disponible sur <jnci.oxfordjournals.org/content/early/2011/01/12/jnci.djq495.abstract>.
- Mathers, C. et al. (2005), « Counting the Dead and What They Died From: An Assessment of the Global Status of Cause of Death Data », *Bulletin of the World Health Organization*, vol. 83, n° 3, pp. 171-177.
- Mauri, D., N.P. Polyzos, G. Salanti et al. (2008), « Multiple-treatments Meta-analysis of Chemotherapy and Targeted Therapies in Advanced Breast Cancer », *Journal of the National Cancer Institute*, vol. 100, n° 24, pp. 1780-1791.

- McGuire, A. et al. (2010), « Technology Diffusion and Health Care Productivity: Angioplasty in the UK », *Working Paper* n° 17/2010, London School of Economics, Londres.
- McKinsey Global Institute (2008), « Accounting for the Cost of U.S. Health Care: A New Look at Why Americans Spend More », disponible sur [www.mckinsey.com/mgi/reports/pdfs/healthcare/US\\_healthcare\\_report.pdf](http://www.mckinsey.com/mgi/reports/pdfs/healthcare/US_healthcare_report.pdf).
- McPherson, K., G. Gon et M. Scott (2013), « International Variations in a Selected Number of Surgical Procedures », *OECD Health Working Papers*, n° 61, Éditions OCDE, <http://dx.doi.org/10.1787/5k49h4p5g9mw-en>.
- Mercier, A. et al. (2011), « Understanding the Prescription of Antidepressants: A Qualitative Study among French GPs », *BMC Family Practice*, vol. 12, n° 99.
- Mereckiene, J. et al. (2008), « Low Coverage of Seasonal Influenza Vaccination in the Elderly in Many European Countries », *Eurosurveillance*, vol. 13, n° 41.
- Mereckiene, J. et al. (2012), « Influenza A(H1N1)pdm09 Vaccination Policies and Coverage in Europe », *Eurosurveillance*, vol. 17, n° 4.
- Minkoff, H. et F.A. Chervenak (2003), « Elective Primary Cesarean Section », *New England Journal of Medicine*, vol. 348, pp. 946-950.
- Ministry of Health (2012), *Rising to the Challenge: The Mental Health and Addiction Service Development Plan 2012-17*, Ministry of Health, Wellington.
- Moïse, P. et al. (2003), « OECD Study of Cross-national Differences in the Treatment, Costs and Outcomes for Ischaemic Heart Disease », *OECD Health Working Paper*, n° 3, Éditions OCDE, <http://dx.doi.org/10.1787/230112362071>.
- Morgan, D. et R. Astolfi (2013), « Health Spending Growth at Zero: Which Countries, Which Sectors Are Most Affected? », *OECD Health Working Papers*, n° 60, Éditions OCDE, <http://dx.doi.org/10.1787/5k4dd1st95xu-en>.
- Murray, C.J.L. et al. (2013), « Disability-adjusted Life Years (DALYs) for 291 Diseases and Injuries in 21 Regions, 1990-2010: a Systematic Analysis for the Global Burden of Disease Study 2010 », *The Lancet*, vol. 380, n° 9859, pp. 2197-2223.
- Myers, M. et P. Zimmet (2008), « Halting the Accelerating Epidemic of Type 1 Diabetes », *The Lancet*, vol. 371, n° 9626, pp. 1730-1731.
- National Research Council and Institute of Medicine, S. Woolf et L. Aron (dir. Pub.) (2013), *U.S. Health in International Perspective: Shorter Lives, Poorer Health*, Panel on Understanding Cross-National Health Differences Among High-Income Countries, National Academies Press, Washington, DC.
- NCHS – National Center for Health Statistics (2011), *Health, United States, 2010: With Special Feature on Death and Dying*, NCHS, Hyattsville, États-Unis.
- NCHS (2013), *Health, United States, 2012: With Special Feature on Emergency Care*, NCHS, Hyattsville, États-Unis.
- Neufeld, M. et J. Rehm (2013), « Alcohol Consumption and Mortality in Russia Since 2000: Are There any Changes Following the Alcohol Policy Changes Starting in 2006? », *Alcohol and Alcoholism*, vol. 48, n° 2, pp. 222-230.
- Nghiem, H., L. Connelly et S. Gargett (2013), « Are Road Traffic Crash Fatality Rates Converging among OECD Countries? », *Accident Analysis & Prevention*, vol. 52, pp. 162-170.
- Nguyen, T. et al. (2011), « Acceptance of A Pandemic Influenza Vaccine: a Systematic Review of Surveys of the General Public », *Infection and Drug Resistance*, vol. 4, pp. 197-207.
- NICE – National Institute for Health and Clinical Excellence (2012), « Published Diagnostics guidance », NICE, London and Manchester, disponible sur [guidance.nice.org.uk/DT/Published](http://guidance.nice.org.uk/DT/Published).
- Nock, M.K. et al. (2008), « Suicide and Suicidal Behavior », *Epidemiologic Reviews*, vol. 30, pp. 133-154.
- Nolting, H.-D. et al. (2012), *Healthcare Fact Check: Regional Variations in German Healthcare*, Bertelsmann Stiftung, Gutersloh.
- NOMESCO – Nordic Medico-Statistical Committee (2010), *Medicines Consumption in the Nordic Countries 2004-08*, NOMESCO, Copenhague.
- Nordentoft, M. et al. (2013), « Excess Mortality, Causes of Death and Life Expectancy in 270.770 Patients with Recent Onset of Mental Disorders in Denmark, Finland and Sweden », *PLoS One*, vol. 8, n° 1, e55176, <http://dx.doi.org/10.1371/journal.pone.0055176>.
- Norhammar, A. et al. (2007), « Improved but Still High Short-and Long-term Mortality Rates after Myocardial Infarction in Patients with Diabetes Mellitus: A Time-trend Report from the Swedish

- Register of Information and Knowledge about Swedish Heart Intensive Care Admission », *Heart*, vol. 93, n° 12, pp. 1577-1583.
- OCDE (2000), *Système de comptes de la santé*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264281806-fr>.
- OCDE (2003), *A Disease-based Comparison of Health Systems: What is Best and at What Cost?*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264100053-en>.
- OCDE (2004a), *Vers des systèmes de santé plus performants*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264016484-fr>.
- OCDE (2004b), *L'assurance-maladie privée dans les pays de l'OCDE*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264015661-fr>.
- OCDE (2008a), *Les personnels de santé dans les pays de l'OCDE : Comment faire face à la crise imminente ?*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264050792-fr>.
- OCDE (2008b), *Les prix des médicaments sur un marché global : politiques et enjeux*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264044173-fr>.
- OCDE (2010a), *Systèmes de santé : efficacité et politiques*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264094925-fr>.
- OCDE (2010b), *Optimiser les dépenses de santé*, Études de l'OCDE sur les politiques de santé, Éditions OCDE, <http://dx.doi.org/10.1787/9789264088832-fr>.
- OCDE (2011a), *Panorama des régions de l'OCDE 2011*, Éditions OCDE, [http://dx.doi.org/10.1787/reg\\_glance-2011-fr](http://dx.doi.org/10.1787/reg_glance-2011-fr).
- OCDE (2011b), *Panorama de la société 2011 – Les indicateurs sociaux de l'OCDE*, Éditions OCDE, [http://dx.doi.org/10.1787/soc\\_glance-2011-fr](http://dx.doi.org/10.1787/soc_glance-2011-fr).
- OCDE (2012a), *OECD Reviews of Health Care Quality: Israel – Raising Standards*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264029941-en>.
- OCDE (2012b), *OECD Reviews of Health Care Quality: Korea – Raising Standards*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264173446-en>.
- OCDE (2012c), *OECD Reviews of Health Systems: Russian Federation*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264168091-en>.
- OCDE (2013a), *Statistiques de l'OCDE sur la santé 2013*, Base de données en ligne, Éditions OCDE, <http://dx.doi.org/10.1787/health-data-fr>.
- OCDE (2013b), *OECD Reviews of Health Care Quality: Turkey – Raising Standards*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264202054-en>.
- OCDE (2013c), *Panorama des pensions de l'OCDE*, Éditions OCDE, à paraître.
- OCDE (2013d), *OECD Reviews of Health Care Quality: Denmark – Raising Standards*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264191136-en>.
- OCDE (2013e), *Cancer Care: Assuring Quality to Improve Survival*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264181052-en>.
- OCDE (2013f), *Panorama des régions de l'OCDE*, Éditions OCDE.
- OCDE (à paraître), *Mental Health Services in OECD Countries* (titre provisoire), Éditions OCDE.
- OCDE et Commission européenne (2013), *A Good Life in Old Age?: Monitoring and Improving Quality in Long-term Care*, Études de l'OCDE sur les politiques de santé, Éditions OCDE, <http://dx.doi.org/10.1787/9789264194564-en>.
- OCDE et OMS (2011), *Examens de l'OCDE des systèmes de santé : Suisse*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264120938-fr>.
- OCDE, Eurostat et OMS (2011), *A System of Health Accounts, 2011 Edition*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264116016-en>.
- OCDE/ITF (2011), *IRTAD Road Safety 2010 Annual Report*, Éditions OCDE.
- OCDE/ITF (2013), *IRTAD Road Safety 2013 Annual Report*, Éditions OCDE.
- OFSP – Office fédéral de la santé publique (2013), *Accouchements par césarienne en Suisse*, OFSP, Berne, 27 février.
- OMS – Organisation mondiale de la santé (2000), « Obésité : prévention et prise en charge de l'épidémie mondiale – Rapport de consultation de l'OMS », *Série de rapports techniques de l'OMS* n° 894, OMS, Genève.

- OMS (2001), *Rapport sur la santé dans le monde – La santé mentale : nouvelle conception, nouveaux espoirs*, OMS, Genève.
- OMS (2009a), *Rapport de situation sur la sécurité routière dans le monde : il est temps d'agir*, OMS, Genève.
- OMS (2009b), « Hépatite B », *OMS Fact Sheet n° 204*, OMS, Genève.
- OMS (2009c), « Innocuité des vaccins contre la grippe A (H1N1) », disponible sur [www.who.int/csr/disease/swineflu/frequently\\_asked\\_questions/vaccine\\_preparedness/safety\\_approval/fr/index.html](http://www.who.int/csr/disease/swineflu/frequently_asked_questions/vaccine_preparedness/safety_approval/fr/index.html).
- OMS (2009d), « Relevé épidémiologique hebdomadaire », n° 40, pp. 405-420, disponible sur [www.who.int/wer/2009/wer8440.pdf](http://www.who.int/wer/2009/wer8440.pdf) (consulté le 10 juillet 2013).
- OMS (2010a), *Stratégie mondiale de l'OMS visant à réduire l'usage nocif de l'alcool*, OMS, Genève.
- OMS (2010b), « Chronic Rheumatic Conditions », *Fact Sheet*, disponible sur [www.who.int/chp/topics/rheumatic/en/](http://www.who.int/chp/topics/rheumatic/en/).
- OMS (2010c), *Rapport sur la santé dans le monde : Le financement des systèmes de santé – Le chemin vers une couverture universelle*, OMS, Genève.
- OMS (2011a), *Système mondial d'information sur l'alcool et la santé*, OMS, Genève, disponible sur [www.apps.who.int/ghodata](http://www.apps.who.int/ghodata).
- OMS (2011b), « Asthme », *Aide mémoire n° 307*, OMS, Genève, disponible sur [www.who.int/mediacentre/factsheets/fs307/fr/index.html](http://www.who.int/mediacentre/factsheets/fs307/fr/index.html).
- OMS (2011c), « Bronchopneumopathie chronique obstructive (BPCO) », *Aide mémoire n° 315*, OMS, Genève, disponible sur [www.who.int/mediacentre/factsheets/fs315/fr/index.html](http://www.who.int/mediacentre/factsheets/fs315/fr/index.html).
- OMS (2011d), *Rapport de situation mondiale sur l'alcool et la santé*, OMS, Genève.
- OMS (2011e), *Mental Health Atlas 2011*, OMS, Genève.
- OMS (2012), *Statistiques sanitaires mondiales 2012*, OMS, Genève.
- OMS (2013), « Tabagisme », *Aide mémoire n° 339*, OMS, Genève, disponible sur [www.who.int/mediacentre/factsheets/fs339/en/index.html](http://www.who.int/mediacentre/factsheets/fs339/en/index.html) (consulté le 15 juillet 2013).
- OMS/Unicef (2013), « Immunization Schedule – June 2013 Update », disponible sur [www.who.int/immunization\\_monitoring/data/data\\_subject/en/index.html](http://www.who.int/immunization_monitoring/data/data_subject/en/index.html) (consulté le 9 juillet 2013).
- OMS et Alzheimer Disease International (2012), *La démence : une priorité de santé publique*, Genève.
- Ono, T., G. Lafourture et M. Schoenstein (2013), « Health Workforce Planning in OECD Countries: A Review of 26 Projection Models from 18 Countries », *OECD Health Working Papers*, n° 62, Éditions OCDE, <http://dx.doi.org/10.1787/5k44t787zcwb-en>.
- Ono, T., M. Schoenstein et J. Buchan (à paraître), « Geographic Imbalances in Doctor Supply and Policy Responses » (provisional title), *OECD Health Working Papers*, Éditions OCDE.
- Or, Z. (2000), « Exploring the Effects of Health Care on Mortality across OECD Countries », *OECD Labour Market and Social Policy Occasional Paper*, n° 46, Éditions OCDE, <http://dx.doi.org/10.1787/716472585704>.
- Or, Z., F. Jusot et E. Yilmaz (2008), « Impact of Health Care System on Socioeconomic Inequalities in Doctor Use », *IRDES Working Paper*, n° 17, IRDES, Paris.
- Ouhoummane, N. et al. (2010), « Trends in Postacute Myocardial Infarction Management and Mortality in Patients with Diabetes. A Population-based Study from 1995 to 2001 », *Canadian Journal of Cardiology*, vol. 26, n° 10, pp. 523-531.
- OXERA (2001), *Fundamental Review of the Generic Drugs Market*, Rapport préparé pour le Département de la santé, OXERA, Oxford.
- Palència, L. et al. (2010), « Socioeconomic Inequalities in Breast and Cervical Cancer Screening Practices in Europe: Influence of the Type of Screening Program », *International Journal of Epidemiology*, vol. 39, pp. 757-765.
- Paris, V., M. Devaux et L. Wei (2010), « Health Systems Institutional Characteristics: A Survey of 29 OECD Countries », *OECD Health Working Paper*, n° 50, Éditions OCDE, <http://dx.doi.org/10.1787/5kmfxfq9qbnr-en>.
- Patterson, C.C., G.G. Dahlquist, E. Gyürüs, et al. et EURODIAB Study Group (2009), « Incidence Trends for Childhood Type 1 Diabetes in Europe During 1989-2003 and Predicted New Cases 2005-20: A Multicentre Prospective Registration Study », *The Lancet*, vol. 373, n° 9680, pp. 2027-33.
- Peralta, L.M.P. (2006), « The Prehospital Emergency Care System in Mexico City: A System's Performance Evaluation », *Prehospital and Disaster Medicine*, vol. 21, n° 2, pp. 104-111.

- Pitman, R.J., A. Melegaro, D. Gelb et al. (2006), « Assessing the Burden of Influenza and Other Respiratory Infections in England and Wales », *Journal of Infection*, vol. 54, n° 6, pp. 530-538.
- Poland, G. (2011), « The 2009-10 Influenza Pandemic: Effects on Pandemic and Seasonal Vaccine Uptake and Lessons Learned for Seasonal Vaccination Campaigns », *Vaccine*, vol. 28S, pp. D3-D13.
- Pong, R.W. (2011), « Putting Up the Stethoscope for Good? », Canadian Institute for Health Information (CIHI), disponible sur [www.cihi.ca](http://www.cihi.ca).
- Public Health Agency of Canada (2009), « Publicly-funded Immunization Programs in Canada – Routine Schedule for Infants and Children », disponible sur [www.phac-aspc.gc.ca/im/ptimprog-progimpt/table-1-eng.php](http://www.phac-aspc.gc.ca/im/ptimprog-progimpt/table-1-eng.php)
- Public Health Agency of Canada (2013), *Le fardeau économique de la maladie au Canada*, 2005-08.
- Qin, P., E. Agerbo et P.B. Mortensen (2003), « Suicide Risk in Relation to Socioeconomic, Demographic, Psychiatric, and Familial Factors: A National Register-based Study of All Suicides in Denmark, 1981-97 », *American Journal of Psychiatry*, vol. 160, n° 4, pp. 765-772, avril.
- Rasmussen, M. et al. (2006), « Determinants of Fruit and Vegetable Consumption among Children and Adolescents: A Review of the Literature. Part 1: Quantitative Studies », *International Journal of Behavioural Nutrition and Physical Activity*, vol. 3, n° 22.
- Rehm, J. et al. (2009), « Global Burden of Disease and Injury and Economic Cost Attributable to Alcohol Use and Alcohol-use Disorder », *The Lancet*, vol. 373, pp. 2223-2233.
- Retzlaff-Roberts, D., C. Chang et R. Rubin (2004), « Technical Efficiency in the Use of Health Care Resources: A Comparison of OECD Countries », *Health Policy*, vol. 69, pp. 55-72.
- Rosso, S., A. Gondos, R. Zanetti et al. et EUNICE Survival Working Group (2010), « Up-to-date Estimates of Breast Cancer Survival for the Years 2000-04 in 11 European Countries: The Role of Screening and a Comparison with Data from the United States », *European Journal of Cancer*, vol. 46, n° 18, pp. 3351-3357.
- Saha, S., D. Chant et J. McGrath (2007), « A Systematic Review of Mortality in Schizophrenia Is the Differential Mortality Gap Worsening Over Time? », *Archives of General Psychiatry*, vol. 64, n° 10, pp. 1123-1131, <http://dx.doi.org/10.1001/archpsyc.64.10.112>.
- Sandvik, C. et al. (2005), « Personal, Social and Environmental Factors Regarding Fruit and Vegetable Consumption Intake Among Schoolchildren in Nine European Countries », *Annals of Nutrition and Metabolism*, vol. 49, n° 4, pp. 255-266.
- Sassi, F. (2010), *L'obésité et l'économie de la prévention : objectif santé*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264084889-fr>.
- Sassi, F., M. Devaux, J. Church et al. (2009), « Education and Obesity in Four OECD Countries », *OECD Health Working Paper*, n° 46, Éditions OCDE, <http://dx.doi.org/10.1787/5km4psmtn8zx-en>.
- Schiele, F. et al. (2005), « Compliance with Guidelines and 1-year Mortality in Patients with Acute Myocardial Infarction: A Prospective Study », *European Heart Journal*, vol. 26, pp. 873-880.
- Schoen, C. et al. (2010), « How Health Insurance Design Affects Access to Care and Costs, by Income, in Eleven Countries », *Health Affairs*, vol. 29, n° 12, pp. 2323-2334.
- Schull, M.J., M.M. Mamdani et J. Fang (2004), « Community Influenza Outbreaks and Emergency Department Ambulance Diversion », *Annals of Emergency Medicine*, vol. 44, pp. 61-67.
- Seenan, P., M. Long et P. Langhorne (2007), « Stroke Units in Their Natural Habitat: Systematic Review of Observational Studies », *Stroke*, vol. 38, pp. 1886-1892.
- Sengupta, N. et al. (2004), « Does the MMR Triple Vaccine Cause Autism? », *Evidence-based Healthcare and Public Health*, vol. 8, n° 5, pp. 239-245, octobre.
- Siciliani, L., M. Borowitz et V. Moran (2013), *Waiting Time Policies in the Health Sector: What Works?*, *OECD Health Policy Studies*, Éditions OCDE, <http://dx.doi.org/10.1787/9789264179080-en>.
- Sirven, N. et Z. Or (2010), « Disparities in Regular Health Care Utilisation in Europe », *IRDES Working Paper*, n° 37, IRDES, Paris.
- Slobbe, L.C.J., J.M. Smit, J. Groen et al. (2011), *Trends in Cost of Illness in the Netherlands, 1999- 2010*, National Institute for Public Health and the Environment (RIVM), disponible sur [www.costofillness.nl](http://www.costofillness.nl).
- Smith-Bindman, R., D.L. Miglioretti et E.B. Larson (2008), « Rising Use of Diagnostic Medical Imaging in a Large Integrated Health System », *Health Affairs*, vol. 27, n° 6, pp. 1491-1502.
- Society of Obstetricians and Gynaecologists of Canada et al. (2008), « Joint Policy Statement on Normal Childbirth », *Journal of Obstetrics and Gynaecology Canada*, vol. 30, n° 12, pp. 1163-1165.

- Sonnenberg, A. et al. (2000), « Cost-Effectiveness of Colonoscopy in Screening for Colorectal Cancer », *Annals of Internal Medicine*, vol. 133, n° 8, pp. 573-584.
- Soriguer, F., A. Goday, A. Bosch-Comas et al. (2012), « Prevalence of Diabetes Mellitus and Impaired Glucose Regulation in Spain: the Diabet.es Study », *Diabetologia*, vol. 55, n° 1, pp. 88-93.
- Starfield, B. et al. (2005), « Contribution of Primary Care to Health Systems and Health », *The Milbank Quarterly*, vol. 83, n° 3, pp. 457-502.
- Strong, W.B. et al. (2005), « Evidence Based Physical Activity for School-Age Youth », *Journal of Pediatrics*, vol. 146, pp. 732-737.
- Sullivan, D.F. (1971), « A Single Index of Mortality and Morbidity », *Health Services Mental Health Administration Health Reports*, vol. 86, pp. 347-354.
- Sundquist, J. (2012), « Long-Term Outcome after Obstetric Injury: A Retrospective Study », *Acta Obstetricia et Gynecologica Scandinavica*, vol. 91, n° 6, pp. 715-718.
- Swedish Association of Local Authorities and Regions and National Board of Health and Welfare (2010), *Quality and Efficiency in Swedish Health Care – Regional Comparisons 2009*, Stockholm.
- Szalay, T. et al. (2011), « Slovakia: Health System Review », *Health Systems in Transition*, vol. 13, n° 2, pp. 1-200.
- Taggart, D. (2009), « PCI or CABG in Coronary Artery Disease? », *The Lancet*, vol. 373, pp. 1190-1197.
- Tidemalm, D. et al. (2008), « Excess Mortality in Persons with Severe Mental Disorder in Sweden: A Cohort Study of 12 103 Individuals with and without Contact with Psychiatric Services », *Clinical Practice and Epidemiology in Mental Health* 2008, vol. 4, n° 23, <http://dx.doi.org/10.1186/1745-0179-4-2>.
- Unicef et OMS (2004), *Low Birthweight: Country, Regional and Global Estimates*, UNICEF, New York.
- Valenciano, M. et al. (2011), « Estimates of Pandemic Influenza Vaccine Effectiveness in Europe, 2009-10: Results of Influenza Monitoring Vaccine Effectiveness in Europe (I-MOVE) Multicentre Case-Control Study », *PLoS Med*, vol. 8, n° 1.
- Van Doorslaer, E. et al. (2004), « Income-related Inequality in the Use of Medical Care in 21 OECD Countries », *OECD Health Working Paper*, n° 14, Éditions OCDE, <http://dx.doi.org/10.1787/687501760705>.
- Verdecchia, A. et al. (2007), « Recent Cancer Survival in Europe: A 2000-02 Period Analysis of EUROCARE-4 Data », *The Lancet Oncology*, vol. 8, pp. 784-796.
- Villar, J. et al. (2006), « Caesarean Delivery Rates and Pregnancy Outcomes: the 2005 WHO Global Survey on Maternal and Perinatal Health in Latin America », *The Lancet*, vol. 367, pp. 1819-1829.
- Vogel, T.R. et al. (2010), « Postoperative Sepsis in the United States », *The Annals of Surgery*, vol. 252, n° 6, pp. 1065-1071.
- Vogler, S. (2012), « The Impact of Pharmaceutical Pricing and Reimbursement Policies on Generic Uptake: Implementation of Policy Options on Generics in 29 European Countries – An Overview », *Generics and Biosimilars Initiative Journal*, vol. 1, n° 2, pp. 44-51.
- Walls, H.C. et al. (2012), « Reductions in Transport Mortality in Australia: Evidence of a Public Health Success », *Accident Analysis & Prevention*, vol. 49.
- Westert, G.P. et al. (dir. pub.) (2010), *Dutch Health Care Performance Report 2010*, National Institute for Public Health and the Environment, Bilthoven, Pays-Bas.
- Westert, G. et N. Klazinga (2011), *The Dutch Health Care System*, 2011, Report prepared for the Commonwealth Fund, disponible sur [www.commonwealthfund.org/Topics/International-Health-Policy/Countries/The-Netherlands.aspx](http://www.commonwealthfund.org/Topics/International-Health-Policy/Countries/The-Netherlands.aspx).
- Wahlbeck, K. et al. (2011), « Outcomes of Nordic Mental Health Systems: Life Expectancy of Patients with Mental Disorders », *The British Journal of Psychiatry*, vol. 199, n° 6, pp. 453-458.
- Wheeler, C.M. et al. (2009), « Human Papillomavirus Genotype Distributions: Implications for Vaccination and Cervical Cancer Screening in the United States », *Journal of the National Cancer Institute*, vol. 101, n° 7, pp. 1-13.
- WHA – World Health Assembly (2003), *Prevention and Control of Influenza Pandemics and Annual Epidemics*, 56<sup>e</sup> Assemblée mondiale sur la santé, Organisation mondiale de la santé, Genève.
- Wiegers, T. et C. Hukkelhoven (2010), « The Role of Hospital Midwives in the Netherlands », *BMC Pregnancy and Childbirth*, vol. 10, n° 80, disponible sur [www.biomedcentral.com/1471-2393/10/80](http://www.biomedcentral.com/1471-2393/10/80).

- Wiener, J. et al. (2009), « Why Are Nursing Home Utilization Rates Declining? », Real Choice System Change Grant Program, U.S. Department of Health and Human Services, Centres for Medicare and Medicaid Services, disponible sur [www.hcbs.org/files/160/7990/SCGNursing.pdf](http://www.hcbs.org/files/160/7990/SCGNursing.pdf).
- Wimo, A., B. Winblad et L. Jonsson (2010), « The Worldwide Societal Costs of Dementia: Estimates for 2009 », *Alzheimer's & Dementia*, vol. 6, pp. 98-103.
- Woods, L.M., B. Rachet et M.P. Coleman (2006), « Origins of Socio-economic Inequalities in Cancer Survival: A Review », *Annals of Oncology*, vol. 17, n° 1, pp. 5-19.
- Wortmann, M. (2009), « Parallel Sessions-Dementia Policies: The Role of Alzheimer Associations in Campaigning for Change », *Alzheimer Europe*, disponible sur [www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies](http://www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies).
- Wübker, A. (2013), « Explaining Variations in Breast Cancer Screening Across European Countries », *European Journal of Health Economics*, <http://dx.doi.org/10.1007/s10198-013-0490-3>.
- Yan, R.T. et al. (2006), « Under-use of Evidence-based Treatment Partly Explains the Worse Clinical Outcome in Diabetic Patients with Acute Coronary Syndromes », *American Heart Journal*, vol. 152, n° 4, pp. 676-683.
- Zaridze, D. et al. (2009), « Alcohol and Cause-specific Mortality in Russia: A Retrospective Case-control Study of 48 557 Adult Deaths », *The Lancet*, vol. 373, n° 9682, pp. 2201-2214.
- Zivin, K., M. Paczkowski et S. Galea (2011), « Economic Downturns and Population Mental Health: Research Findings, Gaps, Challenges and Priorities », *Psychological Medicine*, vol. 41, n° 07, pp. 1343-1348.

#### RÉFÉRENCES DES BASES DE DONNÉES

- Statistiques de l'OCDE sur la santé : État de santé, <http://dx.doi.org/10.1787/data-00540-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Déterminants non médicaux de la santé, <http://dx.doi.org/10.1787/data-00546-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Ressources en santé, <http://dx.doi.org/10.1787/data-00541-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Utilisation des ressources en santé, <http://dx.doi.org/10.1787/data-00542-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Indicateurs de la qualité des soins de santé, <http://dx.doi.org/10.1787/data-00592-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Marché pharmaceutique, <http://dx.doi.org/10.1787/data-00545-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Ressources et utilisation des soins de longue durée, <http://dx.doi.org/10.1787/data-00543-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Dépenses de santé et financement, <http://dx.doi.org/10.1787/data-00349-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Protection sociale, <http://dx.doi.org/10.1787/data-00544-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Références démographiques, <http://dx.doi.org/10.1787/data-00547-fr> (consulté le 15 octobre 2013).
- Statistiques de l'OCDE sur la santé : Références économiques, <http://dx.doi.org/10.1787/data-00548-fr> (consulté le 15 octobre 2013).



**Extrait de :**  
**Health at a Glance 2013**  
**OECD Indicators**

**Accéder à cette publication :**  
[https://doi.org/10.1787/health\\_glance-2013-en](https://doi.org/10.1787/health_glance-2013-en)

**Merci de citer ce chapitre comme suit :**

OCDE (2013), « Bibliographie », dans *Health at a Glance 2013 : OECD Indicators*, Éditions OCDE, Paris.

DOI: [https://doi.org/10.1787/health\\_glance-2013-80-fr](https://doi.org/10.1787/health_glance-2013-80-fr)

Cet ouvrage est publié sous la responsabilité du Secrétaire général de l'OCDE. Les opinions et les arguments exprimés ici ne reflètent pas nécessairement les vues officielles des pays membres de l'OCDE.

Ce document et toute carte qu'il peut comprendre sont sans préjudice du statut de tout territoire, de la souveraineté s'exerçant sur ce dernier, du tracé des frontières et limites internationales, et du nom de tout territoire, ville ou région.

Vous êtes autorisés à copier, télécharger ou imprimer du contenu OCDE pour votre utilisation personnelle. Vous pouvez inclure des extraits des publications, des bases de données et produits multimédia de l'OCDE dans vos documents, présentations, blogs, sites Internet et matériel d'enseignement, sous réserve de faire mention de la source OCDE et du copyright. Les demandes pour usage public ou commercial ou de traduction devront être adressées à [rights@oecd.org](mailto:rights@oecd.org). Les demandes d'autorisation de photocopier une partie de ce contenu à des fins publiques ou commerciales peuvent être obtenues auprès du Copyright Clearance Center (CCC) [info@copyright.com](mailto:info@copyright.com) ou du Centre français d'exploitation du droit de copie (CFC) [contact@cfcopies.com](mailto:contact@cfcopies.com).