





















- [26]Cameron Huddleston-Holmes, Gilles Gigan, Graham Woods, Adam Ruxton, Ian Atkinson, and Stuart Kininmonth, “Infrastructure for a sensor network on davies reef, great barrier reef,” in 3rd International Conference on Intelligent Sensors, Sensor Networks and Information. IEEE, 2007, pp. 675–679.
- [27]Omprakash Gnawali, Ki-Young Jang, Jeongyeup Paek, Marcos Vieira, Ramesh Govindan, Ben Greenstein, August Joki, Deborah Estrin, and Eddie Kohler, “The tenet architecture for tiered sensor networks,” in Proceedings of the 4th international conference on Embedded networked sensor systems. ACM, 2006, pp. 153–166.
- [28]Peter Desnoyers, Deepak Ganesan, and Prashant Shenoy, “Tsar: a two tier sensor storage architecture using interval skip graphs,” in Proceedings of the 3rd international conference on Embedded networked sensor systems. ACM, 2005, pp. 39–50.
- [29]Purushottam Kulkarni, Deepak Ganesan, Prashant Shenoy, and Qifeng Lu, “Senseye: a multi-tier camera sensor network,” in Proceedings of the 13th annual ACM international conference on Multimedia. ACM, 2005, pp. 229–238.
- [30]Junsuk Shin, Rajnish Kumar, Dushmanta Mohapatra, Umakishore Ramachandran, and Mostafa Ammar, “Asap: A camera sensor network for situation awareness,” Principles of Distributed Systems, pp. 31–47, 2007.
- [31]Phoebus Chen, Parvez Ahammad, Colby Boyer, ShihI Huang, Leon Lin, Edgar Lobaton, Marci Meingast, Songhwai Oh, Simon Wang, Posu Yan, et al., “Citric: A low-bandwidth wireless camera network platform,” in Distributed smart cameras, 2008. ICDSC 2008. Second ACM/IEEE international conference on. IEEE, 2008, pp. 1–10.
- [32]Chris Townsend and Steven Arms, “Wireless sensor networks: Principles and applications,” in Sensor Technology Handbook, Jon S. Wilson, Ed., chapter 22, pp. 575–589. Newnes, 2005.
- [33]Jesu’s Pe´rez, Victor Za´rate, and Christian Cabrera, “A network and data link layer qos model to improve traffic performance,” Emerging Directions in Embedded and Ubiquitous Computing, pp. 224–233, 2006.
- [34]Scott Bainbridge, Damien Eggeling, and Geoff Page, “Lessons from the fieldtwo years of deploying operational wireless sensor networks on the great barrier reef,” Sensors, vol. 11, no. 7, pp. 6842–6855, 2011.
- [35]Sutharshan Rajasegarar, James C Bezdek, Christopher Leckie, and Marimuthu Palaniswami, “Elliptical anomalies in wireless sensor networks,” ACM Transactions on Sensor Networks (TOSN), vol. 6, no. 1, pp. 7, 2009.
- [36]Masud Moshtaghi, Sutharshan Rajasegarar, Christopher Leckie, and Shanika Karunasekera, “Anomaly detection by clustering ellipsoids in wireless sensor networks,” in Intelligent Sensors, Sensor Networks and Information Processing (ISSNIP), 2009 5th International Conference on. IEEE, 2009, pp. 331–336.
- [37]Timothy C Havens and James C Bezdek, “An efficient formulation of the improved visual assessment of cluster tendency (ivat) algorithm,” IEEE Transactions on Knowledge and Data Engineering, vol. 24, no. 5, pp. 813–822, 2012.
- [38]Gartner, Inc, “Gartner says 8.4 billion connected ”things” will be in use in 2017, up 31 per- cent from 2016,” <http://www.gartner.com/newsroom/id/3598917>, 2017, [Online].